


Cost-effectiveness at
your fingertips.

MATRIX SINGLE-SIDED LAMINATION



QUALITY

RELIABILITY

INNOVATION

DESIGN

SUPPORT

EASE

PERFORMANCE

SPEED

Matrix® laminators are perfect for your world.

The best value single-sided laminators on the market, they're simple to use, easy to maintain, quick and reliable.

The Matrix® range is designed in-house by Vivid to help breathe life into your business by allowing you to provide your customers with a service you previously had to outsource.



Matrix does the entire job, from start to gloss

Cost effectiveness

Matrix® systems are incredibly cost-effective, meaning you can now truly offer a one-stop shop for your customers.

You can avoid the costly trips and set up costs of outsourcing to the print finisher on the other side of town. So you can increase the service you offer and cut your expenses – all with no delays, too.

Matrix® offers you the ideal investment in finishing your digital print work – on demand – for brochures, folders and business cards.

The beauty of simplicity, the reliability of strength

Matrix® laminators are made using the strongest parts available – they're reliable, simple to use and are capable of returning much more than your investment.

Designed in-house we can make sure that everything about them is aimed at helping you to do your job more efficiently.





Always hungry for work

Whatever finish you choose, a Matrix® laminator can finish the job in a matter of minutes.

They're easy to set up, quick to warm up and perform rapidly, finishing any job quickly and efficiently.

The semi-automatic feeder with auto-overlap makes it so easy to feed your work through the laminator.

Fingertip control

Our exclusive patented multi-lingual control panel is simple, smooth and very easy to use.

It takes virtually no training to set up your laminator for whatever you need, yet it gives you complete control over every job.



or matt finish.



Keeping things smooth

Our unique anti-curl presets, in sync with the control panel, ensure that whatever you laminate – a poster or a brochure, a folder or insert sheet – comes out smooth and flat with no curl or uplift.



Gloss over quickly, matt in minutes

The automatic separator works fluidly with the laminator, ensuring your job is ready for the next stage the moment it's through.



“The money I’ve saved on finishing costs has not only paid for my Matrix machine, it’s added a useful revenue stream in a very tough economy.”

- quick set-up
- suitable for digital & litho prints
- auto-sheet register



MD-460



MD-650



MX-370

Key features

	MD-460	MD-650	MX-370	MX-530	MX-700
Semi-Automated Feed	-	-	•	•	•
Automatic Sheet Register and Overlap	-	-	•	•	•
Manual Overlap	•	•	-	-	-
Automatic Separation	-	-	•	•	•
Film Perforator	•	•	•	•	•
3" (77mm core)	•	•	•	•	•
1" (25mm core)	•	•	-	-	-
Anti-Curl Bar	•	•	•	•	•
Single Sided Lamination	•	•	•	•	•
Encapsulation / Double Sided Lamination	•	•	-	-	-
Collection Tray for Finished Prints	-	-	•	•	•
Pneumatic Roller Pressure	-	-	•	•	•

• Yes - No □ Optional

“With my Matrix laminator, I can start a print run and finish it whenever I’m ready. I don’t have to fit my work round anyone else, and I can keep complete control over quality, too.”

- up to 20m/min
- quick warm-up time
- from SRA4 up to B1
- 70gsm upwards
- easy to use controls
- anti-curl bar for perfectly flat results
- range of accessories
- small footprint

Specifications

	MD-460	MD-650	MX-370	MX-530	MX-700
Max. Laminating Speed (m/min)	1.4	1.4	10	10	20
Max. Lamination Film Width (mm)	460	650	340	500	700
Paper Thickness (gsm)	70 +	70 +	135 +	135 +	135 +
Maximum Sheet Width (mm)	470	660	420	550	730
Warm-up Time (mins)	10	10	10	10	15
Temperature Range (°C)	0-140	0-140	0-140	0-140	0-140
Power Supply (V)	220/240	220/240	220/240	220/240	220/240
Power Supply Required (Amps)	13	13	13	13	32
Power Consumption (W)	950	1600	2200	2400	6000
Pneumatic Requirements (L/Mpa)	-	-	-	-	65/0.75
Overall Dimensions - Width (mm)	720	960	800	900	1675
Overall Dim. - Depth x Height (mm)	480x400	480x400	1800x1400	2050x1400	1375x1700
Gross Machine Weight (kg)	45	55	190	220	495
Warranty	1 year	1 year	1 year	1 year	1 year